



funis m surface

pureWhite

SPECIFICATION SHEET

BION TECHNOLOGIES GMBH

Lindberghstrasse 15
86343 Koenigsbrunn

Tel: +49 (0)8231/95787-0
Fax: +49 (0)8231/95787-29

www.biontechnologies.com
info@biontechnologies.com

YouTube: <http://www.youtube.com/BIONTECHNOLOGIES>

© 2016, BION TECHNOLOGIS GMBH
All rights reserved / Subject to change / Specifications may change without notice.

Project	Fixture#	Date
		Firm

Ordering Information

Choose the option that suits your needs and write its corresponding code on the appropriate line to form the product code.

funis-m-surface- _____ - _____ - _____ - _____ - _____ - _____ - _____ - Y01

TYP - LUMINOUS COLOR	DIMMING	BEAM ANGLE	VOLTAGE	HOUSING COLOR	GLOSS LEVEL	COLOR RENDERING INDEX																																																		
<table border="1"> <tr><td colspan="2">TYP - LUMINOUS COLOR</td></tr> <tr><td>PW30</td><td>pureWhite - 3000 K</td></tr> <tr><td>PW40</td><td>pureWhite - 4000 K</td></tr> </table>	TYP - LUMINOUS COLOR		PW30	pureWhite - 3000 K	PW40	pureWhite - 4000 K	<table border="1"> <tr><td colspan="2">DIMMING</td></tr> <tr><td>NDIM</td><td>Non-dimmable</td></tr> <tr><td>TRIAC</td><td>Dimmable - TRIAC</td></tr> </table>	DIMMING		NDIM	Non-dimmable	TRIAC	Dimmable - TRIAC	<table border="1"> <tr><td colspan="2">BEAM ANGLE</td></tr> <tr><td>46X46</td><td>46° x 46°</td></tr> <tr><td>66X66</td><td>66° x 66°</td></tr> </table>	BEAM ANGLE		46X46	46° x 46°	66X66	66° x 66°	<table border="1"> <tr><td colspan="2">VOLTAGE</td></tr> <tr><td>110V</td><td>90 - 135 VAC 50/60 Hz</td></tr> <tr><td>230V</td><td>180 - 264 VAC 50/60 Hz</td></tr> <tr><td>277V</td><td>277 VAC 50/60 Hz</td></tr> </table>	VOLTAGE		110V	90 - 135 VAC 50/60 Hz	230V	180 - 264 VAC 50/60 Hz	277V	277 VAC 50/60 Hz	<table border="1"> <tr><td colspan="2">HOUSING COLOR</td></tr> <tr><td>WH</td><td>Signal white RAL 9003</td></tr> <tr><td>JB</td><td>Jet black RAL 9005</td></tr> <tr><td>PG</td><td>Dark grey RAL 9023</td></tr> <tr><td>GB</td><td>Grey brown RAL 8019</td></tr> <tr><td>GO</td><td>Gold RAL 1036</td></tr> </table>	HOUSING COLOR		WH	Signal white RAL 9003	JB	Jet black RAL 9005	PG	Dark grey RAL 9023	GB	Grey brown RAL 8019	GO	Gold RAL 1036	<table border="1"> <tr><td colspan="2">GLOSS LEVEL</td></tr> <tr><td>MA</td><td>Matt</td></tr> <tr><td>HG</td><td>High Gloss Finished</td></tr> </table>	GLOSS LEVEL		MA	Matt	HG	High Gloss Finished	<table border="1"> <tr><td colspan="2">COLOR RENDERING INDEX</td></tr> <tr><td>RA80</td><td>CRI 80</td></tr> <tr><td>RA97</td><td>CRI 97</td></tr> </table>	COLOR RENDERING INDEX		RA80	CRI 80	RA97	CRI 97
TYP - LUMINOUS COLOR																																																								
PW30	pureWhite - 3000 K																																																							
PW40	pureWhite - 4000 K																																																							
DIMMING																																																								
NDIM	Non-dimmable																																																							
TRIAC	Dimmable - TRIAC																																																							
BEAM ANGLE																																																								
46X46	46° x 46°																																																							
66X66	66° x 66°																																																							
VOLTAGE																																																								
110V	90 - 135 VAC 50/60 Hz																																																							
230V	180 - 264 VAC 50/60 Hz																																																							
277V	277 VAC 50/60 Hz																																																							
HOUSING COLOR																																																								
WH	Signal white RAL 9003																																																							
JB	Jet black RAL 9005																																																							
PG	Dark grey RAL 9023																																																							
GB	Grey brown RAL 8019																																																							
GO	Gold RAL 1036																																																							
GLOSS LEVEL																																																								
MA	Matt																																																							
HG	High Gloss Finished																																																							
COLOR RENDERING INDEX																																																								
RA80	CRI 80																																																							
RA97	CRI 97																																																							

Sample Order Code: funis-m-surface-pW30-ndim-44x44-230V-WH-MA-RA80-Y01

* Project-specific options are available - Please contact our Sales Representative for further information.